

ARMY, MARINE CORPS, NAVY, AIR FORCE



**AIR LAND SEA
APPLICATION
CENTER**

HF-ALE

***MULTI-SERVICE TACTICS,
TECHNIQUES, AND
PROCEDURES FOR THE
HIGH FREQUENCY—
AUTOMATIC LINK
ESTABLISHMENT
(HF-ALE) RADIOS***

**FM 6-02.74
MCRP 3-40.3E
NTTP 6-02.6
AFTTP(I) 3-2.48
COMDTINST M2000.7**

SEPTEMBER 2003

DISTRIBUTION RESTRICTION: Approved for public release;
distribution is unlimited.

MULTI-SERVICE TACTICS, TECHNIQUES, AND PROCEDURES

FOREWORD

This publication has been prepared under our direction for use by our respective commands and other commands as appropriate.



DAVID A. FASTABEND
Brigadier General, U.S. Army
Deputy Chief of Staff for
Doctrine, Concepts and Strategy
U.S. Army Training and Doctrine
Command



EDWARD HANLON, JR.
Lieutenant General, USMC
Commanding General
Marine Corps Combat Development
Command



R. A. ROUTE
Rear Admiral, USN
Commander
Navy Warfare Development
Command



DAVID F. MacGHEE, JR.
Major General, USAF
Commander
Headquarters Air Force Doctrine
Center

Preface

1. Purpose

This consolidated reference will assist joint forces in utilizing high frequency radios as a supplement/alternative to overburdened satellite communications systems for over-the-horizon communications.

2. Scope

This publication describes multi-Service tactics, techniques, and procedures for basic high frequency-automatic link establishment (HF-ALE) radio operations. The contents of this publication are directed at the operator level. It does not delve into technical aspects of HF-ALE operations beyond that necessary for effective tactical use of the equipment.

3. Application

a. This publication provides commanders and their staffs unclassified guidance to simplify planning of HF-ALE radio procedures. It provides access to information on multi-Service communication systems to commanders and staffs conducting home station training or preparing for interoperability training.

b. The United States (US) Army, Marine Corps, Navy, Air Force, and Coast Guard approved this multi-Service publication for use.

4. Implementation Plan

Participating Service command offices of primary responsibility will review this publication, validate the information and references, and incorporate it in Service manuals, regulations, and curricula as follows:

Army. Upon approval and authentication, this publication incorporates the procedures contained herein into the US Army Doctrine and Training Literature Program as directed by the Commander, US Army Training and Doctrine Command. Distribution is in accordance with (IAW) applicable directives and the Initial Distribution Number listed on the authentication page.

Marine Corps. The Marine Corps will incorporate the procedures in this publication in US Marine Corps training and doctrinal publications as directed by the Commanding General, US Marine Corps Combat Development Command. Distribution of this publication is IAW Marine Corps Doctrinal Publications System.

Navy. The Navy will incorporate these procedures in US Navy training and doctrinal publications as directed by the Commander, Navy Warfare Development Command. Distribution of this publication is IAW Military Standard Requisitioning and Issue Procedures Desk Guide and Navy Standing Operating Procedures Publication 409.

Air Force. The Air Force will incorporate the procedures in this publication IAW applicable governing directives. Distribution is IAW Air Force Instruction 33-360.

Coast Guard. The Coast Guard will incorporate the procedures in this publication in US Coast Guard (USCG) doctrinal and training publications as directed by the Assistant Commandant for Operations, Director of Operations Policy, USCG. Distribution of this publication is IAW USCG standing operating procedures.

5. User Information

a. US Army Training and Doctrine Command, Marine Corps Combat Development Command, Navy Warfare Development Command, Air Force Doctrine Center, USCG, and the Air Land Sea Application (ALSA) Center developed this publication with the joint participation of the approving Service commands. ALSA will review and update this publication as necessary.

b. This publication reflects current joint and Service doctrine, command and control organizations, facilities, personnel, responsibilities, and procedures. Changes in Service protocol, appropriately reflected in joint and Service publications, will likewise be incorporated in revisions to this document.

c. ALSA encourages recommended changes for improving this publication. Key any comments to the specific page and paragraph and provide a rationale for each recommendation. Send comments and recommendation directly to—

Army

Commander
US Army Training and Doctrine Command
ATTN: ATFC-RD
Fort Monroe, VA 23651-5000
DSN 680-3951 COMM (757) 788-3951
E-mail: doctrine@monroe.army.mil

Marine Corps

Commanding General
US Marine Corps Combat Development Command
ATTN: C42
3300 Russell Road, Suite 318A
Quantico, VA 22134-5021
DSN 278-6233/6234 COMM (703) 784-6233/6234
E-mail: deputydirectordoctrine@mccdc.usmc.mil

Navy

Commander
Navy Warfare Development Command
ATTN: Code N5
686 Cushing Road
Newport, RI 02841-1207
DSN 948-1164/4189 COMM (401) 841-1164/4189
E-mail: alsapubs@nwdc.navy.mil

Air Force

HQ AFDC/DJ
204 Dodd Blvd, Suite 301
Langley AFB, VA 23665-2788
DSN 574-8091 COMM (757) 764-8091
E-mail: afdc.dj@langley.af.mil

Coast Guard

Commandant (G-OPL)
US Coast Guard
2100 2nd Street, S.W.
Washington, D.C. 20593-0001
Comm: (202) 267-1178
E-mail: dlwhite@comdt.uscg.mil

ALSA

ALSA Center
ATTN: Director
114 Andrews Street
Langley AFB, VA 23665-2785
DSN 575-0902 COMM (757) 225-0902
E-mail: alsadirector@langley.af.mil

FM 6-02.74
MCRP 3-40.3E
NTTP 6-02.6
AFTTP (I) 3-2.48
COMDINST M2000.7

FM 6-02.74	US Army Training and Doctrine Command Fort Monroe, Virginia
MCRP 3-40.3E	US Marine Corps Combat Development Command Quantico, Virginia
NTTP 6-02.6	US Navy Warfare Development Command Newport, Rhode Island
AFTTP(I) 3-2.48	Headquarters Air Force Doctrine Center Maxwell Air Force Base, Alabama
COMDINST M2000.7	US Coast Guard Washington, D.C.

1 September 2003

HF-ALE

Multi-Service Procedures for High Frequency—Automatic Link Establishment (HF-ALE) Radios

TABLE OF CONTENTS

	Page
EXECUTIVE SUMMARY	ii
CHAPTER I HIGH FREQUENCY OVERVIEW.....	I-2
Propagation	I-2
Earth’s Atmosphere	I-2
Types of Propagation.....	I-2
Ionosphere: Nature’s Satellite.....	I-2
Layers of the Ionosphere.....	I-2
Factors Affecting Atmospheric Ionization	I-2
Frequency and Path Optimization.....	I-2
Propagation Prediction Techniques	I-2

DISTRIBUTION RESTRICTION: Approved for public release; distribution is unlimited.

CHAPTER II	AUTOMATIC LINK ESTABLISHMENT OVERVIEW	II-2
	ALE Linking Sequence	II-2
	Generations of ALE.....	II-2
	Frequency Selection	II-2
	Limitations	II-2
CHAPTER III	ALE PARAMETERS OVERVIEW	III-2
	ALE Parameters.....	III-2
	Channel Parameters	III-2
	Communications Security.....	III-2
	System Specific Parameters	III-2
	Electronic Counter-Counter Measures	III-2
	Linking Protection.....	III-2
CHAPTER IV	MULTI-SERVICE ALE NETWORK OVERVIEW.....	IV-2
	Functions and Responsibilities.....	IV-2
	Planning.....	IV-2
	HF-ALE Data Distribution	IV-2
	HF-ALE Addressing.....	IV-2
CHAPTER V	INDIVIDUAL SERVICE COMMUNICATIONS STAFF OFFICE AND RADIO OPERATOR GUIDANCE.....	V-2
	General Description	V-2
	Actions Required	V-2
	Implementation Considerations	V-2
APPENDIX A	HIGH FREQUENCY GLOBAL COMMUNICATIONS SYSTEM	A-2
APPENDIX B	ESTABLISHED AND PROPOSED ALE NETWORKS	B-2
APPENDIX C	EXCLUSION BAND	C-2
APPENDIX D	JOINT INTEROPERABILITY TEST COMMAND CERTIFIED ALE RADIOS AND CAPABILITY MATRIX.....	D-2
APPENDIX E	EXAMPLE COMMUNICATIONS PLAN.....	E-2
APPENDIX F	EXAMPLE RADIO PROGRAMMING APPLICATION	F-2
APPENDIX G	EXAMPLE HF COMMUNICATIONS PLANNING SYSTEM	G-2
APPENDIX H	PROPAGATION SOFTWARE PROGRAMS	H-2
APPENDIX I	J6 HF-ALE CHECKLIST	I-2
REFERENCES	References-2
GLOSSARY	Glossary-2
INDEX	Index-1

FIGURES

Figure I-1. Propagation Paths for HF	I-2
Figure I-2. Incident Angle.....	I-2
Figure I-3. Layers of the Ionosphere	I-2
Figure I-4. 11-Year Sunspot Cycle	I-2
Figure II-1. ALE Linking Sequence	II-2
Figure IV-1. Standard Frequency Action Format Example.....	IV-2
Figure IV-2. Standard Frequency Action Format Example for HF-ALE.....	IV-2
Figure IV-3. Echelons Capable of Generating HF-ALE Network Plan Data	IV-2
Figure IV-4. Channel Plan Data Distribution within Army Units.....	IV-2
Figure IV-5. Channel Plan Data Distribution within Marine Corps Units	IV-2
Figure IV-6. Channel Plan Distribution within Naval Forces.....	IV-2
Figure IV-7. Channel Plan Data Distribution within Air Force Units.....	IV-2
Figure V-1. Theater Network Architecture.....	V-2
Figure A-1. Interstation Connectivity Architecture	A-2
Figure E-1. Network Diagram	E-2

TABLES

Table II-1 Link Quality Analysis Matrix	II-2
Table IV-1. HF-ALE Self Addressing	IV-2
Table A-1. Recommended Joint ALE Configuration Parameters	A-2
Table A-2. Recommended Joint ALE System Parameters	A-2
Table A-3. Recommended Joint ALE Channel Parameters	A-2
Table D-1 Joint Interoperability Test Command Certified ALE Radios and Capability Matrix.....	D-2
Table E-1. Channel Matrix	E-2
Table E-2. Address Matrix.....	E-2
Table E-3. ALE Parameters.....	E-2
Table F-1. Channel Report.....	F-2

EXECUTIVE SUMMARY

HF-ALE

Multi-Service Tactics, Techniques, and Procedures for the High Frequency—Automatic Link Establishment Radios

The military standard HF-ALE radio is widely deployed throughout the US military and provides a viable alternative to overburdened satellite communication systems. Automatic link establishment (ALE) is an improvement to high frequency (HF) radio that allows establishment of considerably clearer over-the-horizon voice communications and robust data transmissions. This publication establishes common tactics, techniques, and procedures to allow HF-ALE users to maximize use of HF-ALE radios in the inventory, as well as new HF-ALE radios currently being acquired.

Chapter I provides an overview of HF radio operations, discussing propagation of radio waves in the atmosphere to include factors affecting atmospheric ionization, frequency and path optimization, and propagation prediction techniques.

Chapter II provides an overview of ALE, a communication system that permits HF radio stations to call and link on the best HF channel automatically without operator assistance. This chapter describes how ALE systems select the best frequency by making use of recently measured radio channel characteristics stored in a memory matrix and by constantly scanning through assigned frequencies to listen for calls. System limitations are also discussed.

Chapter III discusses common parameters required for all radios in the network, the contrast between settings required for different vendor equipment, and factors such as type and number of radios in the network. Communications security, electronic counter-counter measures, and linking protection are also covered.

Chapter IV considers multi-Service ALE network operations. This chapter highlights the detailed planning and coordination required at multiple echelons within a joint force to achieve effective communications among joint users of HF-ALE compatible radios. The functions and responsibilities of joint forces, Services, and key personnel, with respect to HF-ALE operations are described, to include HF-ALE addressing and data distribution.

Chapter V provides guidance to each Service's radio operators and HF radio network coordinator on how to create and operate in a joint HF-ALE voice network. This chapter describes the network details provided by the joint task force J6, what should be done with this information, and key points to consider when implementing the network into a previously established HF communications architecture. These guidelines are also applicable to operating in civil nets.

PROGRAM PARTICIPANTS

The following commands and agencies participated in developing and reviewing this publication:

Joint

US Joint Forces Command, Suffolk, VA

Army

US Army Training and Doctrine Command, Futures Center (AFTC-RD),
Fort Monroe, VA

519th Military Intelligence Battalion, Fort Bragg, NC

US Army Armor Center, Directorate of Training, Doctrine and Combat
Development, Cavalry Branch, Fort Knox, KY

US Army Signal School, Battle Command Battle Lab (G), ATZH-BL,
Fort Gordon, GA 30905

Marine Corps

Marine Corps Development Command, Quantico, VA

7th Communications Battalion, III MEF

Navy

USN SPAWAR Systems Center-Charleston Det, St. Juliens Creek,
Portsmouth, VA

USN SPAWAR Systems, Norfolk, VA

Commander, Navy Warfare Development Command, Newport, RI

Chief of Naval Operations (N611), Washington, DC

Naval Construction Battalion Center (Code N63), Port Hueneme, CA

Air Force

Headquarters, ACC/SCWI, Langley Air Force Base, VA

Headquarters, Air Force Doctrine Center, Det 1, Langley Air Force Base, VA
23665

Headquarters, AMC/SCP, Scott Air Force Base, IL

Air Force Frequency Management Agency, Alexandria, VA

Coast Guard

Commandant, US Coast Guard (G-SCT-1), Washington, D.C. 20593

Chapter I

High Frequency Overview

High frequency (HF) is a term used to describe the 1.6 to 30 megahertz (MHz) portion of the radio spectrum. This frequency range can provide both short-range and long-haul communications. However, it is also greatly influenced by the earth's atmosphere. To communicate effectively in the HF spectrum, it is necessary to understand radio propagation and how the earth's atmosphere affects this frequency range.

1. Propagation

Propagation describes how radio signals radiate outward from a transmitting source. A radio transmitter's antenna emits radio waves much like the wave motion formed by dropping a stone in a pool of water. This action is simple to imagine for radio waves that travel in a straight line in free space. The true path radio waves take, and how the earth's atmosphere affects these waves, is more complex.

2. Earth's Atmosphere

The earth's atmosphere is divided into three separate regions. The layers are the troposphere, the stratosphere, and the ionosphere. Most of the earth's weather takes place in the troposphere, which extends from the earth's surface to about 10 miles up. The weather variations in temperature, density, and pressure have a great effect on the propagation of radio waves. The stratosphere, which extends from roughly 10 to 30 miles up, has little effect on radio wave propagation. The ionosphere, which extends from 30 to approximately 375 miles up, contains up to four cloud-like layers of electrically charged ions. It is this region and its ionized layers that enable radio waves to be propagated great distances. The ionosphere, and how it effects radio wave propagation, is discussed on page I-2.

3. Types of Propagation

There are two basic modes of propagation: ground waves and sky waves. Ground waves travel along the surface of the earth and are used primarily for short-range communications. Sky waves, reflected by the ionosphere, are "bounced" or reflected back to earth and provide a long-haul communications path, as well as short-range (0 to 180 miles or 300 kilometers [km]) communication in mountainous terrain.

a. Ground Waves. Ground waves consist of three components: surface waves, direct waves, and ground-reflected waves.

(1) Surface Waves. Surface waves travel along the surface of the earth, reaching beyond the horizon. Eventually, surface wave energy is absorbed by the earth. The effective range of surface waves is largely determined by the frequency and conductivity of the surface over which the waves travel. Bodies of water and flat land have the least amount of absorption, while desert and jungle areas have the greatest. For a given complement of equipment, the range may extend from 200 to 250 miles over a conductive, all-sea-water path. Over arid, rocky, nonconductive terrain, however, the